

Point

Two

Air Jackets



Point Two

advanced protection for equestrians

User Guide

www.pointtwoairvests.com



Supplier to
14 Nations
at the London
Olympics

Trust Pilot Customer Reviews

Absolutely fantastic customer service, even out of hours!!

- Karen Craggs

Genuine interest in my requirements, asked relevant details , advised the correct size , helpful and patient. My air jacket arrived within a day or two and is a perfect fit , comfortable and reassuring. I am 86 years old and with my air jacket hope to continue riding confidently and safely for as long as possible.

- Judith Ostrowicz

Really good to have email reminder for annual service of air vest. Fabulous quick turnaround I had it back well within the 72 hours they advise and it was immaculate on return!

- Jen

What lovely efficient people, they were so helpful as we had an old jacket which they took back to refurbish and gave us a huge discount on the replacement and the jackets arrived the next day - thank you.

- Sue Wilson

The customer service provided by this company is outstanding . I spoke to a lovely lady called Sandra who patiently answered all my questions and guided me through getting the correct size with the help of photos. Nothing was too much bother. The vest arrived and absolutely delighted with it.

- Gillian

Really slick and straightforward to service airjacket. Thank you.

- Charlene Macnair

Excellent company! I have an air vest which is quite a lot of years old now... it's serviced every year by Point Two and they keep it in great working order and looking clean too! Such an easy process to get it sent off and returned quickly. Thank you!

- Scot123



Front Cover image thanks to Julian Portch Photography
www.julianportch.com

Point Two

Air Jacket User Guide



To get the most out of your Point Two jacket, read this manual carefully.

Products covered by this information:

Pro Air2 Adult/Child
Hunter Showjumper
Soft Shell P2STYLEZ

Point Two's inflatable body protector features the proven Point Two advanced inflatable airbag system to produce truly innovative and superior levels of protection for horse riders.

Contents

1. Testing and Approval	5
2. Protection	5
3. Fitting	5
4. Sizing.....	6
5. Material Content and Cleaning	7
6. Storage.....	8
7. Maintenance	9
8. Point Two Airbag System	10
9. Resetting the Trigger	12
10. Replacing the CO ₂ Cartridge	12
11. Use with other Personal Protective Equipment.....	14
12. Disclaimer	14
13. Warranty>Returns/Refunds/Upgrades.....	15
14. Servicing	16
15. Full Product Line	17
16. Accessories	18
17. Notes	19

1. Testing and Approval

1 ProAir2, Hunter, Soft Shell

This body protector has been tested at SATRA Technology Centre, Kettering, UK against the manufacturer's specifications. It conforms to the SATRA technical specification "SATRA M38: July 2012 – Requirements for air-vests for use in horse riding, intended to give protection in the event of a fall to ground." The SATRA technical specification involves impacting a body protector which has been inflated to the internal airbag pressures recorded 0.3 seconds after triggering. The test apparatus and impact performance requirements are identical to those specified for EN 13158:2009 Level 3 body protectors.

EC Type-Examination certification has been issued by SATRA Technology Centre Limited, Kettering, UK; Notified Body No. 0321. This body protector is CE marked to denote compliance with the EU Personal Protective Equipment Directive 89/686/EEC.

2. Protection

When the airbags are fully inflated, Point Two's body protectors offer protection from impacts resulting from a fall from a horse. Impacts may be against soft or hard ground, or objects such as trees, vehicles, posts or rails. Fallen riders also risk being kicked, trodden on or crushed by a horse.

WARNING

Injuries cannot be entirely prevented by this body protector, but should be reduced in severity. Injuries cannot be prevented in accidents involving severe torsion, flexion, extension or crushing of the body. Protection from neurological spinal injury is not guaranteed, although testing at the Transport Research Laboratory has shown that skeletal spinal injuries may be reduced in severity or prevented. When inflated, the Point Two airbag system offers the collar of the neck and trunk more support, thus reducing the risk of over bending the spinal column. The Point Two body protector cannot guarantee the rider absolute safety and does not protect the rider from all injuries.

3. Fitting

To benefit from the protection offered by your Point Two, please ensure that it covers the areas that it is designed to protect, that no discomfort is caused by the garment when you are in a riding position and that you are able to maintain a full range of movements. When correctly worn and inflated, the Point Two should cover the following areas of the body:

- The bottom edge should be not less than 25mm below the ribcage anteriorly, and should reach the pelvis laterally
- Posteriorly, the edge should be not less than 15cm below the level of the top of the pelvis on an average adult
- The top of the back of the protector should just reach the level of the seventh cervical vertebra (the prominent bone at the base of the neck)
- The front of the protector should reach the top of the sternum
- The body protector should cover the lateral 75% of the collar-bone

1 Location and Adjustment Pro Air2, Hunter Showjumper and P2-STYLEZ

Remove any pointed objects such as pens, pins, glasses and mobile phones from your clothing before putting on the Point Two vest.

Unfasten the buckles or main zip and put on the Point Two vest. Put your hands inside the side opening and, turning them sideways so your hand is at 90 degrees to your body, you can easily run your hand from your chest to the bottom of the jacket without experiencing any tight spots, ensuring that there is at least a 7.5 cm/3" gap between your body and the lining of the vest. On the ProAir2, if necessary use the buckle and Velcro fastened straps, to adjust the fit. The Hunter features a zip front and elasticated sides.

WARNING


It is important that the ProAir2 vest is not fastened snugly to the body, as the airbags require space in which to inflate. If, when inflated, the ProAir2 vest is too snug, it may be necessary to adjust the straps or try a larger size in the case of the Hunter.

4. Sizing

Take measurements according to the pictogram (see right - size 5 depicted) and select the appropriate size from the size chart. The products described in this technical file are available in the following sizes:

ProAir, Soft Shell & Hunter	S	M	L	L W**	XL **	XL W **
Rider Height (cm)	154-164	162-172	170-180	170-180	178-188	178-188
Rider Chest (cm)	90-100	95-105	100-110	100-110	105-115	105-115
Rider Waist (cm)	85-95	90-100	95-105	95-105	100-110	100-110
Rider Hip (cm)	90-100	95-110	100-115	115-135	105-120	120-140
Waist-to-waist over shoulder (cm)	82-92	88-98	94-104	94-104	100-110	100-110
Nape of neck to coccyx	65-71	70-75	74-78	74-78	77-83	77-83

ProAir CHILD	Child S	Child M	Child L	Child XL
Rider Height (cm)	130-140	138-148	146-156	150-160
Rider Chest (cm)	75-85	80-90	85-95	88-98
Rider Waist (cm)	70-80	75-85	80-90	82-92
Waist-to-waist over shoulder (cm)	64-74	70-80	76-86	78-88
Nape of neck to coccyx	52-58	56-60	58-62	60-64



5. Material Content and Cleaning

ProAir2, Hunter Showjumper & P2 STYLEZ

Outer cover: 100% Polyester. Lining: 100% Polyester. Wipe clean with lukewarm water only and place on a hanger in a well-ventilated space to dry. Do not machine wash, use bleach, tumble dry or iron.



The materials from which this body protector is manufactured are not known to cause allergic reactions generally.

WARNING: The foam in your body protector is sensitive to extreme temperatures, which may reduce its protective properties. Any alteration, incorrect cleaning or misuse may also be detrimental to the protective performance of your body protector.

Special Instructions for laundering the Point Two P2 STYLEZ body protector with removable outer.

The outer jacket of this Soft Shell model can be removed for washing (the inner layer, which contains the airbags and trigger, cannot be laundered).

Separating the inner and outer layers:

- Open the large zip opening on the right side of the body of the outer jacket.
- Remove the CO2 canister from the trigger body.
- Carefully pull the lanyard attachment through the keyhole opening of the outer jacket.
- Unfasten the four zips which are located around both armholes, across the back waist and around the body.
- Separate the two halves of Velcro that attach each side of the trigger body to the back face of the outer jacket.
- Pull the trigger body back through the square opening in the outer jacket.
- The inner layer and outer jacket are now separated.

Washing Instructions:

- Ensure all pocket zips are closed before washing.
- Gentle/delicate wash at 30 C. Line dry. Do not bleach. Do not tumble dry. Do not iron. Do not dry clean.



- The inner layer, which contains the airbag system, cannot be laundered. Wipe clean with a damp cloth only and place on a clothes hanger to dry in a well-ventilated area, away from sources of direct heat and sunlight.

Reassembly

- To reassemble the Soft Shell, first match up the inner layer and outer jacket.
- Open the large zip opening on the right side of the body of the outer jacket.
- Insert the trigger body through the aperture to the back of the outer jacket pocket and carefully reattach the two halves of Velcro that attach each side of the trigger body to the back face of the outer jacket, taking care to ensure a secure fit.
- Insert the lanyard attachment through the keyhole opening in the outer jacket.
- Refasten the four zips to join the inner layer and outer jacket.
- Fit the CO2 cartridge to the trigger, ensuring it is correctly locked in position, and refasten the pocket zip.
- Your Soft Shell is now ready for use.

6. Storage

Place on a clothes-hanger, and store in a dry, well-ventilated environment away from direct sunlight and extremes of temperature. Do not place heavy objects on top of the garment, as these may cause damage to the airbag system. Do not sew or stick any thing onto the body protector as it could pierce the airbags and prevent them from working properly.

IMPORTANT

Any failure to comply with these instructions and precautions, as well as any additional instructions and precautions provided in the manual, may result in serious injury or death.

7. Maintenance

Frequent visual inspection should be made for signs of obvious wear, especially after any accident. In particular, check all areas are in good condition where the airbag system is present, i.e. no rips or tears, before each use. If you suspect the airbag may be damaged, reset the trigger, fit a new cylinder and pull the lanyard to inflate the airbag. If it does not inflate correctly, exhibits reduced pressure, or deflates more rapidly than usual, return your air jacket to Point Two for professional inspection and repair. The garment should be replaced if in any doubt. Cleaned and maintained in accordance with these instructions, the service life of the body protector in normal conditions should be up to three years.

IMPORTANT

Send your jacket in for a service annually, after six inflations or after a particularly heavy fall. We will **remove the airbag, verify its integrity and wash your vest. If there are any weaknesses, we will replace the air bag free of charge.** See Servicing section for more details. Register your jacket for extra protection. Servicing by anyone other than Point Two engineers will void the lifetime warranty of your airbag and trigger system.

As part of your regular visual inspection please ensure that you check your lanyard for any signs of wear and tear especially when using your vest daily. If any signs of wear and tear are noted, please contact Point Two for professional inspection and replacement.

Special Instructions for the Point Two Airbag System

IMPORTANT

Please read these special instructions carefully in order to ensure optimum protection is provided by the Point Two airbag system, which is designed to keep the spinal column supported and absorb shock. Failure to follow the instruction could lead to your body protector malfunctioning or reduce its effectiveness.

The Point Two is worn like any other conventional foam body protector when horse riding. The wearer attaches a lanyard to the ring of the adjustable saddle attachment, which they have fitted securely to the saddle and, when they fall or are thrown from their horse, the lanyard linking them to the saddle tightens and forces out the release pin from the trigger body, which in turn allows a spring to push the piston into the neck of the CO₂ cartridge. The CO₂ is then discharged into the airbag until it reaches full inflation. Peak inflation is maintained for between 10 and 15 seconds, after which the CO₂ begins to automatically discharge through a decompression outlet in the trigger body.

Point Two suggests retailers provide every purchaser of a Point Two air vest with the opportunity to experience a test inflation of their new garment. It is highly recommended that you take advantage of this, as you will then know what to expect when the system is activated in response to a real incident and how the body protector feels when inflated. You may experience a feeling of slight restriction for a few seconds, but as the gas is released, the pressure gradually decreases. Most wearers do not find this troublesome, particularly if they have experienced the test inflation, and those who still feel particularly restricted can release the front fastening in order to ease the pressure, which we recommend is also done as part of the test inflation process. The test inflation experience is also an opportunity for the retailer to demonstrate and talk you through how to reset the airbag system. This is also covered in detail later in this information.

8. Point Two Airbag System

1 The Airbags

The airbags are made of high-quality resistant polyurethane sheaths, which provide the best possible shock absorption. It is possible for the airbags to be ripped or damaged in an accident if they hit any pointed or sharp objects.

CAUTION The sheaths must not be exposed to temperatures above 50°C/122°F.

2 The Release Pin

A force, applied to the connecting lanyard, is required to pull the release pin from the trigger body. This releases a spring which forces a needle to perforate the CO₂ canister, releasing the gas into the airbags. A pull from any direction will detach the release pin from the trigger body.

WARNING

For your own safety, do not dismantle the release pin or remove any parts.

3 The Gas Cartridge (CO₂)

When replacing the gas cartridge, use only a genuine Point Two part of the correct size. The capacity of CO₂ is stamped on the canister on the CO₂ line. Replacement gas (CO₂) cartridges can be obtained from **Point-2 Equine Ltd. Please call 01403 732128 in the UK.**

Vest sizes: Child XL, Adult S,M,L,XL	Child sizes: Small, Medium
Type: co2	Type: co2
Canister volume: 60cc	Canister volume: 50cc
Weight: 186g +/- 3g	Weight: 156g +/- 3g
Container: cast steel; welded tap	Container: cast steel; welded tap
Reference: LS-6013-ew-Cn3L-45	Reference: LS-5116-EW-Cn4R-HLT

IMPORTANT

- The cartridge should be stored and used in temperatures below 45°C /113°F.
- The cartridge must be used at a temperature over 0°C/32°F. If stored under 0°C/32°F, warm up before use or replace with a cartridge which has been warmed in an indoor environment.
- Do not expose full cartridges to naked flames.
- Do not leave full cartridges in the car in high temperatures.
- If rust or other corrosive marks appear on the outer surface of the cartridge, change it immediately and dispose of the corroded cartridge in a safe and environmentally-friendly manner.
- Ensure that a spent cartridge is completely empty before removing it from the trigger system.
- Only install genuine Point Two gas cartridges of the same size sold with the Point Two body protector.
- Please ensure spare CO₂ cartridges are kept out of children's reach at all times.
- Do not remove any part of the Point Two trigger system
- The CO₂ cartridge is not re-usable. Once used, it must be replaced with a fresh cartridge of the same capacity.
- Check the weight of the cartridge yearly. It should not differ by more than 3g from the weight engraved on the cartridge.

4 The Adjustable Saddle Attachment

Attaching the adjustable saddle attachment:

- Remove both stirrups leathers from the saddle.
- Standing at the pommel of the saddle, thread one end of the attachment through the 'D' ring and then slide the loop over the stirrup bar.
- Repeat the process with the other end of the strap on the opposite side. It may be necessary to loosen the straps to reach the other stirrup bar at this point.
- Now adjust the strap evenly on both sides so the attaching ring sits at the centre of the pommel.
- The strap should be short enough to not exceed passing behind the pommel but not so tight it lies flat on the horse's wither.
- Replace the stirrup leathers ensuring they are securely on.

CAUTION

Make sure that the lanyard cannot wrap itself around any part of the saddle when riding. Shorten it accordingly and check that it does not restrict the rider's movements and that the chosen fixing point is sturdy enough.

Please ensure that your lanyard is attached to the supplied Point Two saddle attachment. Do not attach to D-rings or any other part of the saddle as this may cause the jacket to fail in the event of a fall or cause premature inflation. Additional saddle attachments can be purchased from Point Two directly or distributor.

5 Attaching the Lanyard to the Attachment

The lanyard has a clip at the end, which simply clips onto the central ring of the adjustable attachment on the saddle. The lanyard must be securely clipped on to the ring otherwise your jacket will not inflate in the event of a fall.

Considerable force is required to activate the trigger mechanism, so the Point Two airbag system should not be activated during normal use. Should the lanyard linking the saddle to the release pin catch on any obstruction, accidental activation could occur. If the horse falls and the rider stays in the saddle, the Point Two airbag system cannot be activated until the activation distance (full stretch of the lanyard) and activation force are both reached.

Always detach the lanyard from the saddle before dismounting to avoid accidentally inflating the airbag system. Forgetting to unfasten the lanyard before dismounting when the lanyard is too long or not enough force is exerted will mean the wearer will still be attached to the saddle if the horse gallops off. If this happens, push back forcefully to trigger the airbag system, which will also disconnect the lanyard.

6 Precautions after Activation

Pay attention to the following points when the airbag is inflated:

- Make sure you are out of danger before removing the Point Two body protector.
- The airbag will remain inflated for 15 – 20 seconds. The gas will then escape gradually through the decompression outlet in the trigger body.
- If the cushions are punctured when the airbag is inflated, all the chambers will empty and the jacket will deflate.
- Do not block the decompression valve, which is located within the trigger body.
- If any external damage to the body protector is caused during deployment, contact Point-2 Equine Ltd. **on 01403 732128 in the UK, for servicing and replacement of the cartridge.**
- In the event of serious damage to either the interior or exterior of the body protector, it may not be possible to repair it.

9. Resetting the Trigger

INSTRUCTIONAL VIDEO AVAILABLE AT www.pointtwoairvests.com.


If after reading the following instructions you remain unsure of the correct procedure to reset your Point Two's airbag system, we recommend you take it to an authorised dealer for resetting and a further demonstration of how you can reset the system yourself. The Point Two body protector can be reused if it is reset according to the following procedure, but if it is not reset correctly there could be a malfunction. Using the Point Two body protector without a correctly set airbag trigger system could deprive the wearer of the protection provided by the airbags.

IMPORTANT

These steps must be followed in sequence before removing a spent cartridge to avoid damaging the release pin. We recommend that an adult resets the jacket after activation or contact 01403 732128 in the UK for advice.



A This is how the trigger looks after activation. The release pin and lanyard have detached, the piston has slid towards the cartridge and the spring (marked with a yellow arrow) is visible.



B Unlock the empty cartridge by applying slight downward pressure and turning it anticlockwise to the right in the trigger body.



C When the retention lug on the bayonet fitting reaches the right hand side of the location slot (shown by the yellow arrow in the picture), you will feel the cartridge loosen in the trigger body.



D Remove the empty CO₂ cartridge upwards away from the trigger body.


10. Replacing the CO2 Cartridge




E Loosen the spring tension cap with the Allen key provided, turning it in the direction shown by the arrow, until the spring drops out of sight below the bottom of the release pin aperture of the trigger body.



F With your finger or with the allen key, push through the trigger aperture to move the piston back to its location. Ensure the recess of the silver piston is aligned with the hole in the centre of the trigger casing - as pictured.



G Insert the release pin into the aperture, making sure it is fully pushed into the recess in the piston. Hold it in place with one hand and begin tightening the spring tension cap with the other hand.



H Finish tightening the cap with the Allen key, until the lip of the spring tension cap is flush with the trigger body and the markers on the trigger body and spring tension cap line up as shown by the yellow arrow.

DO NOT OVER TIGHTEN THE CAP.

IMPORTANT

Please pay particular attention to the following points when reassembling the trigger system of your Point Two body protector:

- Check for visible external damage (holes, rips, etc.) in the fabric of the outer garment and the airbags (if visible);
- Ensure that the airbags have completely deflated;
- Always ensure the replacement cartridge is a genuine, approved Point Two part of the correct size, which is 60cc for adult sizes and Child Large ProAir and 50cc for Child Small and Medium and CXL.



I To insert a new CO₂ cartridge; first ensure it has the correct bayonet fitting. It is not possible to use screw-fitting cartridges in the Point Two bayonet trigger system. Line up the location lug on the bayonet fitting (highlighted by the top arrow in the picture) with the slot on the trigger body (highlighted by the bottom arrow in the picture).



J Insert the CO₂ cartridge into the trigger body. If you encounter resistance, ensure you have correctly aligned the location lug on the bayonet fitting with the insertion slot on the trigger body.



K Using light downward pressure, twist the CO₂ cartridge clockwise to the left, as shown by the direction of the top yellow arrow in the picture, until the location lug on the bayonet fitting is in the left side of the location slot.



L Provides a close up of the correct final position for the location lug in the trigger body location slot.



M Close the zip on the CO₂ cartridge cover.

CONCLUSION

Check again to ensure accurate reassembly of the airbag trigger system bearing in mind your own safety. Any exterior or interior damage could cause a malfunction.

Thoroughly following these instructions will ensure your Point Two body protectors' airbag system is properly reset. If, however, you remain unsure about the resetting procedure, or are not confident of your understanding of these instructions, please visit the Point Two website to view the instructional video, or for one-to-one assistance, speak with the supplying retailer, or contact Point Two direct.

11. Use with other Personal Protective Equipment

Body protectors are part of the protective equipment ensemble available for use by horse riders, and are intended to be used with a safety helmet meeting an appropriate standard, with fitted or separate eye protection where there is a risk of eye injuries.

Where this body protector features attachment points for fitment of shoulder protectors, it is strongly recommended that where these are worn, they are also type approved and CE marked in accordance with the requirements of EN 13158:2009, or other documents of equal status.

For added protection, Point Two Vests (ProAir2, Hunter and Soft Shell) can be worn over an EN 13158 body protector.

12. Disclaimer

- Please note, no body protector can prevent death or serious injury in certain accidents.
- Point-2 Equine Ltd will be held in no way responsible for any bodily injury or death, and/or property damage that may occur whilst using any Point Two product.
- Point-2 Equine Ltd accepts no responsibility or liability for any improper installation and usage of any of its products.
- All Point Two air jackets are rigorously tested before being sold. Each jacket is inflated before dispatch, however we cannot guarantee the jacket will inflate every time or be held responsible should it not.
- Point Two requires that all jackets are serviced annually, after every 6 inflations, a particularly heavy fall, or a fall into water.
- This product has been CE certified under the name of Point Two by: SATRA Technology Centre, Satra House, Rockingham Rd, Kettering NN16 9JD
- The Point Two jacket protects only when inflated.
- Any modification or misuse could lead to malfunction.
- No garment or backpack should be used over the Point Two jacket.
- Currently little data exists on the use of air jackets by pregnant women. However, we suggest that the Point Two air jacket is not worn beyond 18 weeks pregnancy to avoid the theoretical risk of spontaneous miscarriage / preterm labour, amniotic fluid embolisation, abruptio placentae and isoimmunization.

IMPORTANT

Point-2 Equine Ltd and their respective parent companies, subsidiaries, members, owners, officers, directors, employees, independent contractors, affiliates, and assigns, are collectively referred to in this Notice, Disclaimer & Warning as "Point Two".

All equestrian sports are inherently dangerous and involve the risk of serious injury or death. Riders using Point Two products ride at their own risk with full knowledge of the hazards and risks associated with their activities. Point Two air vests, and their attachments and associated products, are designed for equestrian use only. Point Two products cannot offer complete protection from injury or death to riders in case of fall, collision, impact, loss of control or otherwise. Point Two products cannot protect areas of the

body that are not covered. Point Two products offer no protection against injuries involving forces other than impact.

Notice: Point Two products must fit properly and the connecting lanyard must be attached for the air bag to properly deploy in the event of a fall. Point Two air jackets that suffer an impact should be examined and, if necessary, serviced by Point Two. The protective qualities of the Point Two air vest may be compromised by prior impact, use, and many common substances. Always follow the manufacturer's recommendations before applying cleaning agents, adhesives, or any other object to the Point Two air vest.

Point Two disclaims any responsibility for injuries or death incurred while wearing any of the Point Two products. Representations regarding testing results, equipment ratings, product specifications, and the adequacy of all such standards and designations are made solely by Point Two and therefore Point Two does not warrant or confirm the representations of any other distributor, sales representative, retailer, or any other person or entity. Point Two does not guarantee the deployment of the Point Two air vest in all falls, impacts, or other incidents. By purchasing any of the Point Two products offered for sale and using it in an equestrian sport, the purchaser and user agree freely and voluntarily to assume all risks related to equestrian sports including the risk of personal injury, damage, death or property damage. Further, to the maximum extent permitted by law, the purchaser and user releases Point Two from any and all responsibility or legal liability related to purchaser's and user's participation in equestrian sports.

13. Warranty

Point Two requires that all jackets are serviced once a year, after six inflations or after a particularly heavy fall. Servicing includes trigger clean, shell wash and removal and full pressure testing of the airbag.

All Point Two air jackets come with a lifetime warranty on the air bag component. The warranty is subject to the jacket being serviced annually by Point Two and if any reduction in the airbag performance is detected during inflation the airbag will be replaced FOC for the customer.

14. Returns/Exchanges/Refunds/Upgrades

If your vest does not fit as you expected, we will happily exchange your vest for you and help you with sizing. You will need to contact us within 14 days of receipt to do this. Please contact the office before sending back your vest so we can advise on what to do and where to send your vest to. We may also ask you to send us pictures in the vest to see the fit and get your measurements to check the size you may need.

Refunds are only offered on brand new vests purchased direct from Point Two Only, refurbished vests purchased will only be exchanged or a credit offered.

Upgrade Vests - once we ship out your new vest you have 14 days to check the fit is ok before we will destroy your old vest which then can no longer be returned.

Point Two Servicing



Look after your Point Two and your Point Two will look after you. We ask that you send your jacket in for a service annually, after six inflations, or after a particularly heavy fall. We will remove the air bag, verify its integrity and wash your vest. If there are any weaknesses, we will replace the air bag free of charge.

General Service

General Service + Colour Swap

Point Two will remove the air bag to check for any “unseen” weakness from use and replace it for free if necessary. We look for tears, punctures and creases and test it with a compressor to ensure that it inflates fully and deflates at the appropriate rate. We will also wash your shell and give you the option to change it for another colour, or in the case of the Child’s ProAir, a larger size. We do our utmost to ensure that your air jacket is as reliable as the first day you bought it.

Air Bag Before Servicing



Air Bag After Servicing



Shipping Your Vest

Please print off and complete the service form that you will find on our website under services and add to your parcel.

We recommend sending your vest ROYAL MAIL SPECIAL DELIVERY to the address detailed below, please ensure you remove the canister before packing and include the lanyard as this is checked over as part of the service. Once your vest is ready we will contact you for payment if you have not Pre-Paid on the website www.pointtwoairvests.com

Please allow a minimum of 48 hours turnaround from date of receipt unless there is closure due to public Bank Holidays etc then this will take longer.

Post your vest to:

Point Two Equine Ltd Service Dept
Unit 3 The Old Barn
Horsham Road
Forest Green
Surrey RH5 5RZ

Point Two

Full Product Line



Pro Air Adult



Pro Air Child



Hunter/Showjumper



Soft Shell - P2STYLEZ

Point Two Accessories



Saddle Attachment

Bungee Lanyard

**Replacement CO₂
Canister**



**Back Protector
Insert**

Base Layers
Available in White, Black,
Navy & Grey

Notes

Point Two Air Vests are manufactured and serviced in Great Britain and in the US:

Point Two Equine Ltd - UK

Unit 3 The Old Barn

Horsham Road

Forest Green

Surrey

RH5 5RZ

Head Office Telephone: 01403 732128

Email: info@pointtwoairvests.com

www.pointtwoairvests.com

Official Supplier of



Any failure to comply with these instructions and precautions, as well as any additional instructions and precautions provided in the manual, may result in serious injury or death.